



MAC-M260

PRODUCT SPECIFICATIONS:

- Multi-WAN, Full Speed Gigabit Network Port
- Auto AP Discovery and Centralized AP Management
- Manage 256 AP units and 256 user access.
- Support Web Remote Management and Real Time Status

Registered Office: E- home lot Pvt.Ltd. Ideal Centre, 1st Floor,9 A.J.C Bose road Kolkata:700017 Email: sales@ehoome.in Website: www.ehoome.in Delhi Office : C-171,Ground Floor Defense Colony New Delhi: 110024

Factory: A-13, Sector-83, Phase-II,Noida, U.P. 201301



Manufactured by:



HARDWARE SPECIFICATIONS:

Standard and Protocols	IEEE 802.3, 802.3u, 802.3ab TCP/IP, DHCP, ICMP, NAT, PPPoE, SNTP, HTTP, DDNS, IPsec, PPTP, L2TP、 CAPWAP Protocol
CPU	MT7621
DDR	512M
Flash	16M
Heat Dispersion	Ultra-Quiet Ball Fan
Interface	4 × Gigabit Ethernet LAN Port (Can Setup to Multiple WAN)
	1 × Gigabit Ethernet WAN Port
Power Supply	AC: 100-240V, 50HZ
Dimensions	440mm x 220mm x 44mm
Operation Temperature	-20°C ~ 55°C
Storage Temperature	-40 °C ~70°C
Operation Humidity	5% ~ 97%RH (No condensing)
AP Management	Maximum number of management users: 256 users
	Manage up to 256 AP
	Support Wireless AP configuration via centralized and remote
	management
	User Status Viewer
	One click smart flow control
Smart Flow Control	Powerful multi pipeline shunt
	Automatic apply priority
Routing Function	Static Routing
Others	DDNS, VPN management

Registered Office: E- home lot Pvt.Ltd. Ideal Centre, 1st Floor,9 A.J.C Bose road Kolkata:700017 Email: sales@ehoome.in Website: www.ehoome.in Delhi Office : C-171,Ground Floor Defense Colony New Delhi: 110024 Factory: A-13, Sector-83, Phase-II,Noida, U.P. 201301



Manufactured by:



HARDWARE SPECIFICATIONS:

	Multi WAN, Multi ISP Access
	Smart Load Balancing
	Link Redundancy/Backup
	Multi WAN
Load Balancing	Routing Policy: based on source IP address, destination IP address,
	source MAC address, network interface, domain name, destination
	port, external network interface, identity binding and other policies.
	Protocol Binding
	Online diagnostics
	Comprehensive blocking of P2P application
Behavior Management	P2P flow control and bandwidth allocation
Benavior management	File Transfer and URL Filtering
	Full control of online behavio r
	IP based bandwidth control
Bandwidth Control	Guaranteed / Limited Bandwidth
	Time strategy
	IP based session restrictions
	MAC address filtering
Coourity contor	URL / keyword filtering
Security center	Web content filtering
	IP address filtering
	Port forwarding
	DMZ

Registered Office: E- home lot Pvt.Ltd. Ideal Centre, 1st Floor,9 A.J.C Bose road Kolkata:700017 Email: sales@ehoome.in Website: www.ehoome.in Delhi Office : C-171,Ground Floor Defense Colony New Delhi: 110024 Factory: A-13, Sector-83, Phase-II,Noida, U.P. 201301



Manufactured by:



HARDWARE SPECIFICATIONS:

Defense Orates	TCP / UDP / ICMP flood defense
Defense Center	Block TCP scanning
	Block PING WAN port
	Sending GARP packets
ARP inspection	ARP scan on WAN / LAN port
	IP MAC binding
	Main Device x 1
Package Contents	Power Cord x 1
	Mounting accessories
	User Manual x 1
MAC-M260	Complete Product Unit including 1 x Main Device 1 x Power Cord 1 x Mounting Accessories 1 x User Manual (Optional)
	1 x User Manual (Optional)

Registered Office: E- home lot Pvt.Ltd. Ideal Centre, 1st Floor,9 A.J.C Bose road Kolkata:700017 Email: sales@ehoome.in Website: www.ehoome.in Delhi Office : C-171,Ground Floor Defense Colony New Delhi: 110024 Factory: A-13, Sector-83, Phase-II,Noida, U.P. 201301



Manufactured by: